

## **NOTES**

- 1. All HRA and AC binder mixes are to be to BS EN 13108-4:2016.
- 2. Block paving types and colours.
- 3. Shared surfaced in 2 layers and top 50mm to be planned off if damaged by construction traffic before block paving laid.
- 4. Depths of sub-base depends on CBR test.
- 5. To latest SCC specification.
- 6. Completion of formation to be in accordance with SHW Clause 616.
- 7. All pavement materials to comply with SHW Clause 701.
- 8. On subgrades of poorly graded sand or with CBR of less than 5%, a geotextile separator shall be laid on the full width of the compacted subgrade prior to spreading the sub—base.



Growth, Highways & Infrastruture Suffolk County Council Endeavour House 8 Russell Road Ipswich Suffolk IP1 2BX DRAWING TITLE

ROAD PAVEMENTS
ADOPTABLE ROADS
SHARED SURFACED CONSTRUCTION

REV.	DESCRIPTION	CHECKED	DATE	) (

)		INIT.	DATE	PROJECT TITLE STANDARD CONSTRUCTION	
	ORIGINATOR	RY	08/2024		ETAILS
	CHECKER	SH	08/2024	SCALE	DATE
	DESIGNER	RY	08/2024	N.T.S.	AUG. 2024
	DEGIGIALIA	111	00/2024	DRAWING No.	
	REVIEWER	TK	08/2024	-	-700-04

ORIGINAL SIZE: A4