



NOTES

1. The access and visibility splays' dimensions to be as conditioned in granted planning permission. Where 10m radius is not considered appropriate, the access dimensions to be determined by swept path analysis of agricultural vehicle into the site.
2. It is an OFFENCE to carry out works within the public highway without the permission Suffolk County Council as the Highway Authority.
3. Grasscrete to extend into the site 15m from channel of carriageway. Any access gates are to be 15m minimum from the edge of carriageway and to opening inwards, away from the highway.
4. To prevent private surface water from entering the highway, the highway boundary is to be the highpoint; where this is not possible, drainage is required within private land.
5. For a field access, a Minor Works Application is required.
6. Applicants are reminded that utility apparatus may be affected by the proposed works and it is a legal requirement that they or the contractor contacts the owner of the apparatus prior to work starting.
7. Access to be kerbed for the extent of the radius and visibility splays, unless otherwise agreed with SCC Engineer.
8. Proprietary grass blocks 100mm thick natural gray coloured concrete grass-block units. Cavities filled 50% of depth with topsoil and grass seeded. Minimum cavity dimension be 100 x 100mm.
9. Grass seed shall be to the specification in the following mix:
 Agrostis Castenillana 'Highland' 10%
 Festuca Rubra SSP Litoralis 'Dawson Lowgrow' 15%
 Festuca Rubra Pruinoas 'Merlin' 15%
 Festuca Rubra SSP Rubra 'Ruby' or 'Boreal' 25%
 Festuca longifolia 'Scandis' or 'Tournament' 20%
 POA Pratensis 'Parade' or POA compressa 'Reudens' 15%



Growth, Highways & Infrastructure
 Suffolk County Council
 Endeavour House
 8 Russell Road
 Ipswich
 Suffolk IP1 2BX

DRAWING TITLE
 DEVELOPMENT MANAGEMENT
 AGRICULTURAL ACCESS WITH GRASSCRETE

REV.	DESCRIPTION	CHECKED	DATE

INIT.	DATE	PROJECT TITLE	
RY	07/2024	STANDARD CONSTRUCTION	
SH	07/2024	SCALE	DATE
RY	07/2024	N.T.S.	JUL. 2024
TK	07/2024	DRAWING No.	
		DM-000-07	