



NOTES

1. Applicants are reminded that utility apparatus may be affected by the proposed works and it is a legal requirement that they or the contractor contacts the owner of the apparatus prior to work starting.
2. Proprietary grass blocks 100mm thick natural gray coloured concrete grass-block units. Cavities filled 50% of depth with topsoil and grass seeded. Minimum cavity dimension be 100 x 100mm.
3. Grass seed shall be to the specification in the following mix:
 Agrostis Castenillana 'Highland' 10%
 Festuca Rubra SSP Litoralis 'Dawson Lowgrow' 15%
 Festuca Rubra Pruinoas 'Merlin' 15%
 Festuca Rubra SSP Rubra 'Ruby' or 'Boreal' 25%
 Festuca longifolia 'Scandis' or 'Tournament' 20%
 POA Pratensis 'Parade' or POA compressa 'Reudens' 15%



Growth, Highways & Infrastructure
 Suffolk County Council
 Endeavour House
 8 Russell Road
 Ipswich
 Suffolk IP1 2BX

DRAWING TITLE
 DEVELOPMENT MANAGEMENT
 SERVICE BAY
 AT TRAFFIC SIGNALS

REV.	DESCRIPTION	CHECKED	DATE

INIT.	DATE	PROJECT TITLE	
RY	07/2024	STANDARD CONSTRUCTION DETAILS	
SH	07/2024	SCALE	DATE
RY	07/2024	N.T.S.	JUL. 2024
TK	07/2024	DRAWING No. DM-000-10	